

Package: zenodor (via r-universe)

August 23, 2024

Type Package

Title Download Files from a Zenodo Repository

Version 0.1

Description Lists and downloads available files of a Zenodo repository. For restricted repository a token must be provided.

URL <https://github.com/frbcesab/zenodor>

BugReports <https://github.com/frbcesab/zenodor/issues>

License GPL (>= 2)

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Imports curl, jsonlite

Repository <https://frbcesab.r-universe.dev>

RemoteUrl <https://github.com/FRBCesab/zenodor>

RemoteRef HEAD

RemoteSha 5758f3eaca919f63e0776ba17efdb35c22fde50f

Contents

zen_download_files	2
zen_list_files	3

Index

4

zen_download_files *Download files of a Zenodo repository*

Description

Downloads files of a Zenodo repository. If the repository is in restricted access, a token (argument token) must be provided.

Usage

```
zen_download_files(record_id, token, path = ".", files = NULL)
```

Arguments

record_id	a character of length 1. The Zenodo identifier of the repository (7 numbers). Can be found on the URL of the repository
token	a character of length 1. A token generated by Zenodo to access files of a restricted access.
path	a character of length 1. The folder in which files will be saved.
files	a character vector. If one or several files are provided, only these files will be downloaded. If NULL (default) all files will be downloaded.

Value

No returned value.

Examples

```
# List files available in the repo: https://zenodo.org/record/7936568 ----
zen_list_files("7936568")

## Not run:
# Download one file ----
zen_download_files("7936568", files = "FORCIS_pump_v03_14062023.csv")

# Download all files ----
zen_download_files("7936568")

## End(Not run)
```

zen_list_files	<i>List files of a Zenodo repository</i>
----------------	--

Description

Lists files of a Zenodo repository. If the repository is in restricted access, a token (argument `token`) must be provided.

Usage

```
zen_list_files(record_id, token)
```

Arguments

record_id	a character of length 1. The Zenodo identifier of the repository (7 numbers). Can be found on the URL of the repository
token	a character of length 1. A token generated by Zenodo to access files of a restricted access.

Value

No returned value.

Examples

```
# List files available in the repo: https://zenodo.org/record/7936568 ----
zen_list_files("7936568")
```

Index

[zen_download_files, 2](#)
[zen_list_files, 3](#)